

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Walter G. Talarek
 W. Neudorff GmbH KG
 c/o Walter G Talarek, PC
 1008 Riva Ridge Road
 Great Falls, VA 22066-1620

FEB 25 2013

W. Neudorff GmbH KG; NEU1173NH Concentrate
 EPA Registration No. 67702-26
 Amendment to Add Supplemental Label Information for New Supplemental Distributor
 (Supplemental Label Information to be Added to Master Label)
 S# 926271, Application Dated 11/2/12

Dear Mr. Talarek:


The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit two (2) copies of your final printed labeling before you release the product for shipment. Final printed labeling means the label or labeling of the product when distributed or sold. Clearly legible reproductions or photo reductions will be accepted for unusual labels, such as those silk-screened directly onto glass or metal containers or large bags or drum labels.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(b). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

If you have any questions contact Chris Pfeifer at 703-308-0031 or by email at: pfeifer.chris@epa.gov.

Sincerely,



Linda A. Hollis, Chief
 Biochemical Pesticides Branch
 Biopesticides and Pollution
 Prevention Division (7511P)

Enclosure

CONCURRENCES								
MBOL	>	7511P						
RNAME	>	Pfeifer						
TE	>	2/21/13						

SUPPLEMENTAL LABEL

ENGAGE AGRO USA

FIESTA TURF WEED KILLER

EPA Reg. No. - 67702-26-87865

NOT FOR USE IN CALIFORNIA

Active Ingredient:

Iron HEDTA (FeHEDTA).....	26.52%
Other Ingredients:	73.48%
Total:	100.00%

For Supplemental Label Only. To be added to master label at soonest
ACCEPTED *condition*

FEB 25 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. **67702-26**

KEEP OUT OF REACH OF CHILDREN

CAUTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use of FIESTA TURF WEED KILLER, according to this supplemental label, is subject to the use precautions and limitations imposed by the label affixed to the FIESTA TURF WEED KILLER container. Read the label affixed to the container for FIESTA TURF WEED KILLER before applying. The labeling must be in the possession of the user at the time of application.

This Supplemental Labeling contains the addition of pests controlled; revised use instructions that are different from those that appear on the container label; and a section with the heading name "Environmental Hazards" and associated language. This Supplemental Labeling supersedes the Application Directions on the container label and must be in the possession of the user at the time of application.



Additional Pests:

Controls or suppresses weeds such as but not limited to:

- Oxalis (*Oxalis* spp.)
- Creeping Charlie/Ground ivy (*Glechoma hederacea*)
- Prostrate knotweed (*Polygonum aviculare*)
- Lawn burweed (*Soliva ptero-sperma*)
- Wild geranium (*Geranium robertianum*)

Controls or suppresses diseases such as but not limited to:

- Dollar Spot
- Rust
- Snow Mold



Application Directions:

Rate of Spray Solution	Rate of Concentrate	Weeds	Area Treated
2.5 ga/1000 ft ²	12.6 fl. oz/ 1000 ft ²	Rate for easy-to-control weeds: black medic (<i>Medicago lupulina</i>), slender speedwell (<i>Veronica filiformis</i>), wild geranium (<i>Geranium robertianum</i>) and moss. This rate can also be used for weed seedlings of: false dandelion (<i>Hypochaeris radicata</i>), English daisy (<i>Bellis perennis</i>), dandelion (<i>Taraxacum officinale</i>) or white clover (<i>Trifolium repens</i>).	25400 ft ² /2.5 ga jug
4.9 ga/1000 ft ²	25.2 fl. oz/ 1000 ft ²	Standard rate for control of most weed species: dandelion (<i>Taraxacum officinale</i>), English daisy (<i>Bellis perennis</i>), false dandelion (<i>Hypochaeris radicata</i>), Creeping Charlie/Ground ivy (<i>Glechoma hederacea</i>), Prostrate knotweed (<i>Polygonum aviculare</i>), white clover (<i>Trifolium repens</i>), bull thistle (<i>Cirsium vulgare</i>), Canada thistle (<i>Cirsium arvense</i>), common chickweed (<i>Stellaria media</i>), narrow-leaved plantain (<i>Plantago lanceolata</i>), dove's foot geranium (<i>Geranium molle</i>), Oxalis (<i>Oxalis</i> spp.), lawn burweed (<i>Soliva ptero-sperma</i>), and algae, and for the SUPPRESSION of broad-leaved plantain (<i>Plantago major</i>)	12700 ft ² /2.5 ga jug
9.8 ga/1000 ft ²	50 fl. oz./ 1000 ft ²	Rate for tough perennial weeds such as: creeping buttercup (<i>Ranunculus repens</i>) and broad-leaved plantain (<i>Plantago major</i>)	6340 ft ² /2.5 ga jug

Rate of Spray Solution	Rate of Concentrate	Diseases	Area Treated
2.5 ga/1000 ft ²	12.6 fl. oz./1000 ft ²	Rate for control or suppression of diseases such as dollar spot , snow mold, and rust. Use the higher rate when disease pressure is high.	25400 ft ² /2.5 ga jug
4.9 ga/1000 ft ²	25.2 fl. oz./1000 ft ²		12700 ft ² /2.5 ga jug

For Broadcast Treatment:

Shake well before using. Mix one part FIESTA TURF WEED KILLER with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 ft² (2.8-11.5 fluid oz./yard²), using the chart to determine how much diluted spray to use per area. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Uniform coverage is important. Repeat treatment in 3 to 4 weeks for best results.

For Spot Treatment:

Shake well before using. Mix one part FIESTA TURF WEED KILLER with 24 parts water (5 oz. in 1 gallon of water). Thoroughly spray weeds to point of runoff using any standard hand-held or backpack sprayer. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

ENVIRONMENTAL HAZARDS

© © © © ©
© © © © ©
© © © © ©
© © © © ©

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Registrant:

W. Neudorff GmbH KG
An der Muhle 3, Postfach 1209
D-31860 Emmerthal, Germany

Manufactured For:

Engage Agro USA, LLC
118 E. Carleton Street, Suite A
Prescott, AZ 86303
Phone: 928-445-7990

For Chemical Emergency
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300

For product use or customer service inquiries, call 928-445-7990

